

FIX

Wandleuchte aus Aluminiumdruckguss, erhältlich in verschiedenen Ausführungen: lackiert in weiß, schwarz, gold und gold brüniert. Erhältlich mit doppelter Emission up & down. TRIAC dimmbar.



DOUBLE EMISSION

LAMPING

Source	LED board
Total power	2x6W
Emission	up+down
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	2x380lm
Typ CRI	85
Energy class	A+
Dimensions	10x9,65x3,42
Materials	aluminium
Notes	available also in 120V. Suggested dimmer: TECNEL TE7636 (dimming range: from ~45% to 100%)
Net lamp weight	0,6 kg

Codes

FIM LWW 3A
FIM LNW 3A
FIM LGT 3A
FIM LGW 3A

Structure

white painted
black painted
gold painted
gold burnished

PACKAGE

Package 01



Dimension: 18x15x14 cm / Gross weight: 1 kg

Certificazioni



NEMO

www.nemolighting.com



100°

LAMPING

Source	LED Board
Total power	2x6W
Emission	up+down
Switching	Dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	2x524lm
Typ CRI	85
Energy class	A+
Dimensions	10x9,65x5,4
Materials	aluminium
Notes	available also in 120V. Suggested dimmer: TECNEL TE7636 (dimming range: from ~45% to 100%)

Codes

- FIM LWW 3C
- FIM LNW 3C
- FIM LGT 3C
- FIM LGW 3C


Structure

- white painted
- black painted
- gold painted
- gold burnished

Certificazioni




3



9,5

9,6

10



3

5,4

